

James Mesh

Task chair with mesh back

Design — Iiro Viljanen



The James task chair with mesh back looks light but offers very good support for the back. James is especially well suited for drop-in workstations, but also for longer sessions. Different seat and backrest sizes as well as mechanism options make the chair suitable for people of different sizes.



MATERIAL DESCRIPTION:

5-star base (ø 708 mm): black aluminium or plastic, polished aluminium, plastic parts black.

Armrests: upper part black, shaft black.

Seat: upholstered, backrest: black mesh.

PRODUCT CODE NUMBER:

1197 = without armrest

1198 = with armrest

1197P = without armrest, lumbar support

1198P = with armrest, lumbar support

1197N = without armrest, neckrest

1198N = with armrest, neckrest

1197NP = without armrest, lumbar support, neckrest

1198NP = with armrest, lumbar support, neckrest

ACCESSORIES:

- 2 seat size options (widths 44 and ~ 48,5 cm) and 3 mechanisms (flex, synchro and synchro easy)
 - With or without armrests, 2D and 4D rotating armrest types
 - Soft or hard castors, glides and foot ring
 - Telescopic and high columns as an option
 - Lumbar support
 - Neckrest
-

FABRIC CONSUMPTION:

0.5 m / pcs

ADJUSTMENTS:

Seat and backrest height adjustment, seat depth adjustment.

Armrest: 4D height, angle, depth and width adjustment, 2D height and width adjustment.

Additional adjustable lumbar support (depth adjustment) and height and depth adjustable neckrest.

Flex-mechanism: Weight-sensitive synchronized mechanism with lockable free float seat movement and seat angle adjustment. 4 locking positions of the backrest.

Synchro-mechanism: Weight-sensitive synchronized mechanism together with a comfort regulation and seat angle adjustment. 4 locking positions of the backrest.



Synchro Easy -mechanism: Simple weight-sensitive synchronized mechanism with 3 backrest locking position.

WEIGHT:

16.7 kg

Dimensional drawing:

Työtuolien ominaisuuksia
Arbetsstolarnas egenskaper
Task chair properties



1192	A 41cm	D 39-52 cm	F 7 cm	I 22°	K 10 cm
	B 35cm	D 54-73cm*	G 4 cm	J +0 / -6	L 4.5 cm
	C 49cm	D 69-80cm**	H 7 cm		M 360°
		E 45 cm			
1194	A 42cm	D 39-52 cm	F 7 cm	I 22°	K 10 cm
	B 45cm	D 54-73cm*	G 4 cm	J +0 / -6	L 4.5 cm
	C 49cm	D 69-80cm**	H 7 cm		M 360°
		E 45cm			
1196	A 40cm	D 39-52 cm	F 6 cm	I 22°	K 10 cm
	B 55cm	D 54-73cm*	G 4 cm	J +0 / -6	L 4.5 cm
	C 49cm	D 69-80cm**	H 7 cm		M 360°
		E 45 cm			
1198	A 42cm	D 39-52 cm	F 6 cm	I 22°	K 10 cm
	B 55cm	D 54-73cm*	G 4 cm	J +0 / -6	L 4.5 cm
	C 49cm	D 69-80cm**	H 7 cm		M 360°
		E 45 cm			

* teleskooppivarsiputkella/ * med teleskoprör/ * with telescopic shaft

** korkealla varsiputkella/ **med lönkt stolsrör/ **with tall shaft