

Nooa

Sofa

Design — Antti Kotilainen




The Nooa modular sofa is a comfortable and cosy seat for the lobby and meeting rooms of activity based offices. Its various options make it possible to create numerous configurations, and with a screen, the sofa provides a comfortable and sheltered meeting place.




MATERIAL DESCRIPTION:**Upholstery:** fully upholstered**Legs, wood:** ash, stained ash or oak**Legs, metal:** black, white or Inspiring Colours**Table top:** white laminate, black matt laminate, oak, ash or stained ash**Table leg:** white, black or Inspiring Colours**PRODUCT CODE NUMBER:****331AA (W/S)** = two-seater sofa without armrests**332AA (W/S)** = two-seater sofa with armrests**334AAR (W/S)** = two-seater sofa with right armrest**334AAL (W/S)** = two-seater sofa with left armrest**331AAA (W/S)** = three-seater sofa without armrests**332AAA (W/S)** = three-seater sofa with armrests**334AAAR (W/S)** = three-seater sofa with right armrest**334AAAL (W/S)** = three-seater sofa with left armrest**335A45O (W/S)** = 45° sofa without armrests and with outer backrest**335A45I (W/S)** = 45° sofa without armrests and with inner backrest**335A60O (W/S)** = 60° sofa without armrests and with outer backrest**335A60I (W/S)** = 60° sofa without armrests and with inner backrest**335A90O (W/S)** = 90° sofa without armrests and with outer backrest**335A90I (W/S)** = 90° sofa without armrests and with inner backrest**339S1** = screen element, backrest unit**339E1** = screen element, armrest unit**331BP1** = backrest cushion rectangular, 67x44 cm**331BP2** = backrest cushion square, 50x50 cm**W** = wooden legs**S** = metal legs**ACCESSORIES:****331PS** = decorative cushion, 67x42 cm**331PM** = decorative cushion, 42x42 cm**331PL** = decorative cushion, 50x50 cm**330T** = table between seats**330TL** = table with leg**FABRIC CONSUMPTION:****331AA:** 3.7 m**332AA:** 5.4 m**334AAR/AAL:** 4.6 m**331AAA:** 5.2 m**332AAA:** 6.8 m**334AAAR/AAAL:** 6.0 m**335A45O:** 4.6 m**335A45I:** 3.9 m**335A60O:** 4.4 m**335A60I:** 3.6 m**335A90O:** 5.4 m**335A90I:** 4.3 m**331BP1:** 0.9 m**331BP2:** 0.8 m

Dimensional drawing:



Dimensional drawing 2:



Dimensional drawing 3:

