

# Albino Torcia

tavolino / side table  
HORM / Salvatore Indriolo, 2010  
» [catalog #01](#)



# Albino Torcia

tavolino / side table  
HORM / Salvatore Indriolo, 2010  
[» catalog #01](#)



## Albino Torcia

tavolino / side table  
HORM / Salvatore Indriolo, 2010  
» [catalog #01](#)

Numero 3  
lampada / lamp  
vol. 03

Elba Plus  
letto / bed  
vol. 04

# Albino Torcia

Salvatore Indriolo / 2011




Cad models  
Catalogues  
Warranty terms  
Assembly instructions  
Product sheet  
Technical sheet



[www.horm.it](http://www.horm.it)

NEED HELP? Call us:  
+39 0434 1979 100

Struttura in metallo verniciato. Vassoio in MDF laccato o impiallacciato. Torcia led ad aggancio libero alla struttura tramite calamita.

Powder-coated metal structure. Removable tray made from MDF, lacquered or walnut veneered. LED torch that can be freely connected to the structure by means of a magnet.

Structure métallique peinte. Plateau en MDF laqué ou plaqué noyer. Torche à LED avec connexion libre à la structure au moyen d'un aimant en néodyme.

Lackierte Metallstruktur. Tablett aus lackiertem MDF oder Nussbaumfurnier. Herausnehmbare Led-Stablampe mit Verbindung zur Struktur mittels Neodym-Magnet.

Estructura de metal barnizado. Bandeja en MDF lacada o enchapada de nogal. Lámpara de iluminación LED de enganche libre a la estructura mediante imán de neodimio.

+++

## ALIMENTAZIONE

Torcia alimentata tramite alimentatore a corrente oppure batterie ricaricabili (incluse).

+++

## SUPPLY

Torch powered by cable or with rechargeable batteries (included).

+++

## ALIMENTATION

Torche alimentée par un cable d'alimentation ou des piles rechargeables (incluses).

+++

## VERSORGUNG


Stablampe versorgt über AC Netzteil mit Strom oder aufladbaren Akku (inklusive).

+++

## ALIMENTACION

Lámpara alimentada mediante de alimentación de CA o batería recargable (incluida).


43  
16.9"



90  
35.4"  
45  
17.7"

### LED Technical characteristics



Luminaire flux: 130lm  
Luminaire power: 1W  
Efficacy: 130lm/W  
Color temperature: 5000°K  
Viewing angle: 100°  
Color rendering: CRI80  
Non dimmable



EUROPLUG  
CEE7/16  
INPUT  
100/240V

<b>STRUTTURA STRUCTURE STRUCTURE STRUKTUR ESTRUCTURA</b>	Bianco White Blanc Weiß Blanco RAL 9016	Nero Black Noir Schwarz Negro RAL 9011		
<b>VASSOIO TRAY PLATEAU TABLETT BANDEJA</b>	Laccato bianco White lacquered Laqué blanc Weiss lackiert Lacado blanco RAL 9016	Noce canaletto Walnut Noyer Nussbaum Nogal	Laccato nero Black lacquered Laqué noir Schwarz lackiert Lacado negro RAL 9011	Noce canaletto Walnut Noyer Nussbaum Nogal
<b>ALBINO TORCIA</b>	RT430ZB	RT430ZX	RT430BZ	RT430BX

ADAPTER / THE TORCH CHARGE SHIPS WITH EUROPLUG CEE 7/16

	2 PIN EUROPLUG TO 3 PIN UK PLUG	AA0002		2 PIN EUROPLUG TO 2 PIN USA PLUG	AA0003
---	------------------------------------	--------	--	-------------------------------------	--------